

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

Amendments to the Claims:

1. (Cancelled)

2. (Original) ~~The A method for adjusting power consumption according to claim 1~~
of a radio frequency identification (RFID) reader associated with a mobile terminal, further
comprising:

determining a context of the mobile terminal, wherein determining a context of the
mobile terminal comprises detecting any RFID tags in an area proximate the mobile terminal in
response to interrogation by the RFID reader; and

determining whether a context of the mobile terminal has changed, wherein determining
a change in context comprises monitoring changes in the detection of RFID tags in the area
proximate the mobile terminal relative to a prior interrogation to indicate a change in context of
the mobile terminal; and

adjusting the power consumption of the RFID reader based upon the context of the
mobile terminal relative to at least one previous context determination of the mobile terminal,
wherein adjusting the power consumption of the RFID reader comprises altering the frequency at
which the RFID reader is actuated, and

wherein adjusting the power consumption includes reducing the power consumption of
the RFID reader when no change in the context of the mobile terminal is determined.

3. (Currently Amended) The method for adjusting power consumption according to
claim 1~~2~~, wherein adjusting the power consumption further includes increasing the power
consumption of the RFID reader when a change in the context of the mobile terminal is
determined.

4. (Currently Amended) The method for adjusting power consumption according to
claim 1~~2~~, wherein reducing the power consumption of the RFID reader comprises reducing the
frequency at which the area proximate the mobile terminal is interrogated by the RFID reader
when no change in the context of the mobile terminal is determined.

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

5. (Currently Amended) The method for adjusting power consumption according to claim 12, wherein reducing the power consumption of the RFID reader comprises ceasing interrogation of the area proximate the mobile terminal by the RFID reader until a change in context of the mobile terminal is detected.

6. (Currently Amended) The method for adjusting power consumption according to claim 3, wherein increasing the power consumption of the RFID reader comprises increasing the frequency at which the area proximate the mobile terminal is interrogated by the RFID reader when a change in the context of the mobile terminal is determined.

7. (Currently Amended) The method for adjusting power consumption according to claim 12, wherein adjusting the power consumption of the RFID reader comprises changing an operational mode of the RFID reader.

8. (Currently Amended) ~~Method A method~~ for adjusting power consumption of a radio frequency identification (RFID) reader associated with a mobile terminal, comprising:

detecting any RFID tags in an area proximate the mobile terminal in response to interrogation by the RFID reader;

determining whether a context of the mobile terminal has changed, wherein determining a change in context comprises monitoring changes in the detection of RFID tags in the area proximate the mobile terminal relative to a prior interrogation to indicate a change in context of the mobile terminal; and

adjusting the power consumption of the RFID reader based upon the determination of whether the context of the mobile terminal has changed, wherein adjusting the power consumption includes reducing the power consumption of the RFID reader when no change in the context of the mobile terminal is determined.

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

9. (Previously Presented) The method for adjusting power consumption according to claim 8, wherein adjusting the power consumption further includes increasing the power consumption of the RFID reader when a change in the context of the mobile terminal is determined.

10. (Previously Presented) The method for adjusting power consumption according to claim 8, wherein reducing the power consumption of the RFID reader comprises reducing the frequency at which the area proximate the mobile terminal is interrogated by the RFID reader when no change in the context of the mobile terminal is determined.

11. (Previously Presented) The method for adjusting power consumption according to claim 8, wherein reducing the power consumption of the RFID reader comprises ceasing interrogation of the area proximate the mobile terminal by the RFID reader until a change in context of the mobile terminal is determined.

12. (Original) The method for adjusting power consumption according to claim 9, wherein increasing the power consumption of the RFID reader comprises increasing the frequency at which the area proximate the mobile terminal is interrogated by the RFID reader when a change in the context of the mobile terminal is determined.

13. (Original) The method for adjusting power consumption according to claim 8, wherein adjusting the power consumption of the RFID reader comprises changing an operational mode of the RFID reader.

14. (Cancelled)

15. (Currently Amended) The mobile terminal according to claim ~~14~~20, wherein said at least one processor comprises said at least one controller.

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

16. (Currently Amended) The mobile terminal according to claim 1420, further comprising at least one sensor to provide at least a portion of the information received regarding the environment of the mobile terminal.

17. (Original) The mobile terminal according to claim 16, wherein said at least one sensor comprises at least one of a proximity detector, a movement detector, and a temperature detector.

18. (Currently Amended) The mobile terminal according to claim 1420, further comprising a timer for tracking time between determinations of a change in context.

19. (Currently Amended) The mobile terminal according to claim 1420, further comprising a switch in communication with said at least one controller to adjust the power consumption of said RFID reader by changing an operational mode of said RFID reader.

20. (Currently Amended) The ~~A~~ mobile terminal according to claim 14, ~~wherein comprising:~~

a radio frequency identification (RFID) reader, wherein said RFID reader detects any RFID tags in an area proximate the mobile terminal in response to interrogations by said RFID reader;

at least one processor to determine a context of the mobile terminal based upon information received regarding an environment of the mobile terminal, wherein said at least one processor monitors any changes in the detection of RFID tags in the area proximate the mobile terminal relative to a prior interrogation to determine whether the context of the mobile terminal has changed; and

at least one controller in communication with said at least one processor that adjusts the power consumption of said RFID reader based upon the context of the mobile terminal by altering the frequency at which said RFID reader is actuated, wherein said at least one controller

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

adjusts the power consumption of said RFID reader based upon the determination of whether the context of the mobile terminal has changed,

wherein adjusting the power consumption includes reducing the power consumption of said RFID reader when no change in the context of the mobile terminal is determined.

21. (Currently Amended) The mobile terminal according to claim 1420, wherein:
said RFID reader comprises at least one of said at least one processor and said at least one controller.

22. (Cancelled)

23. (Currently Amended) ~~The~~ A computer program product for adjusting power consumption according to claim 22, further of a radio frequency identification (RFID) reader associated with a mobile terminal, the computer program product comprising: a computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

a ~~third~~ first executable portion capable of determining a context of the mobile terminal, wherein said first executable portion is capable of determining the context of the mobile terminal by detecting any RFID tags in an area proximate the mobile terminal in response to interrogation by the RFID reader; and

wherein said first executable portion is also capable of determining whether a context of the mobile terminal has changed, wherein determining a change in context comprises monitoring changes in the detection of RFID tags in the area proximate the mobile terminal relative to a prior interrogation to indicate a change in context of the mobile terminal; and

a second executable portion capable of adjusting the power consumption of the RFID reader based upon the context of the mobile terminal relative to at least one previous context determination of the mobile terminal, wherein adjusting the power consumption of the RFID reader comprises altering the frequency at which the RFID reader is actuated, and

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

wherein said second executable portion is capable of reducing the power consumption of the RFID reader when no change in the context of the mobile terminal is determined by said first executable portion.

24. (Currently Amended) The computer program product for adjusting power consumption according to claim 2223, wherein said second executable portion is also capable of increasing the power consumption of the RFID reader when a change in the context of the mobile terminal is determined by said first executable portion.

25. (Currently Amended) The computer program product for adjusting power consumption according to claim 2223, wherein said second executable portion is capable of reducing the power consumption of the RFID reader by reducing the frequency at which the area proximate the mobile terminal is interrogated by the RFID reader when no change in the context of the mobile terminal is determined by said first executable portion.

26. (Currently Amended) The computer program product for adjusting power consumption according to claim 2223, wherein said second executable portion is capable of reducing the power consumption of the RFID reader by ceasing interrogation of the area proximate the mobile terminal by the RFID reader until a change in context of the mobile terminal is detected by said first executable portion.

27. (Original) The computer program product for adjusting power consumption according to claim 24, wherein said second executable portion is capable of increasing the power consumption of the RFID reader by increasing the frequency at which the area proximate the mobile terminal is interrogated by the RFID reader when a change in the context of the mobile terminal is determined by said first executable portion.

28. (Currently Amended) The computer program product for adjusting power consumption according to claim 2223, wherein said second executable portion is also capable of

Appl. No.: 10/687,146
Amdt. dated 02/13/2006
Reply to Official Action of January 12, 2006

adjusting the power consumption of the RFID reader by changing an operational mode of the
RFID reader.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.